

## Compare Products

<b>Code</b>	<b>71079</b>
<b>Model</b>	<b>XJ VR</b>



**Note**

**Dual Speed Control  
Fiber Carbon Proplock propeller**

- Top speed is delivered with fully charged battery
- Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim
- Conditions : sea water - no flow/current

## Dimensions

<b>Use</b>	RECREATIONAL
<b>Length</b>	mm 720 (inch 28.3)
<b>Width</b>	mm 340 (inch 12.9)
<b>Height</b>	mm 425 (inch 16.7)
<b>Body diameter</b>	mm 200 (inch 7.8)
<b>Weight without battery</b>	kg 11,50 (lb 24.5)
<b>Weight with battery</b>	kg 16,50 (lb 35.3)
<b>Material type</b>	Tecnopolymers/Polycarbonate

## Performance

<b>Max static thrust</b>	N 200 (lb 44.96)
<b>Top speed</b>	mt/min 65 (ft/min 213)
<b>Run time at max speed/drag</b>	min 100
<b>Run time at cruise speed</b>	min 150
<b>Maximum operational depth</b>	mt 101 (ft 331)
<b>Buoyancy/ trim</b>	Tecnopolymers/Polycarbonate

<b>In-water usage temperature</b>	°C -5/+35 (°F +23/+95)						
<b>Runtime-range</b>	<b>LITHIUM BATTERY</b>						
	<table border="1"> <thead> <tr> <th>SPEED MT/MIN</th> <th>BURNTIME - MIN</th> </tr> </thead> <tbody> <tr> <td>FULL TRIGGER</td> <td>100</td> </tr> <tr> <td>45-CRUISE</td> <td>150</td> </tr> </tbody> </table>	SPEED MT/MIN	BURNTIME - MIN	FULL TRIGGER	100	45-CRUISE	150
	SPEED MT/MIN	BURNTIME - MIN					
	FULL TRIGGER	100					
	45-CRUISE	150					
	<b>NIMH BATTERY - ACCESSORY</b>						
<table border="1"> <thead> <tr> <th>SPEED MT/MIN</th> <th>BURNTIME - MIN</th> </tr> </thead> <tbody> <tr> <td>FULL TRIGGER</td> <td>60</td> </tr> <tr> <td>45-CRUISE</td> <td>100</td> </tr> </tbody> </table>	SPEED MT/MIN	BURNTIME - MIN	FULL TRIGGER	60	45-CRUISE	100	
SPEED MT/MIN	BURNTIME - MIN						
FULL TRIGGER	60						
45-CRUISE	100						
<p>- Top speed - thrust is delivered with fully charged battery  - Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim  - Conditions : sea water - no flow/current</p>							

### Battery type

<b>Battery type</b>	Lithium
<b>Nominal Voltage</b>	Volt 25,2
<b>Nominal Capacity</b>	Wh 512
<b>Maximum recharging time</b>	h 6
<b>Charger power supply</b>	110/220 50/60HZ

### Features

<b>DRIVE</b>	
<b>Fastening device</b>	●
<b>Main Switch</b>	●
<b>Proplock Propeller</b>	●
<b>Speed Adjustment</b>	●
<b>Battery Gauge</b>	●
<b>By-pass System</b>	
<b>Easy Trim</b>	●
<b>Easy Inspect</b>	●
<b>New Handle Design</b>	●
<b>Battery and Charger Design and Quality</b>	●
<b>Sealed Motor Compartment</b>	●
<b>NBS - Neutral Buoyancy System</b>	●
<b>Made Salt Resistant</b>	●
<b>Motor Protection</b>	●
<b>Battery Protection</b>	●
<b>Certifications</b>	●

**Features legend:**

● : standard

○ : optional

  : not available